



DashDashDot

Features

ATOM



ATOM - 600

FIXED

EDGE

Ø600mm

Ø40mm Tube

Painted Black Finish

Opal Polycarbonate

P-ATM-600-F-E-BL-XX

ATOM - 600

FIXED



At the centre of the ATOM-600 are seventeen LED pucks fitted to a metal core. These pucks are positioned to evenly distribute light for more uniform diffusion. The pucks can accommodate a range of LED chips including a range of whites, single colours, tuneable white and RGBW. Control gear is remote.



ATOM - 600

FIXED

ONE

Ø600mm

Ø40mm Tube

Anodised Silver Finish

Opal Polycarbonate

P-ATM-600-F-O-AS-XX



ATOM - 600

FIXED

ONE

Ø600mm

Ø40mm Tube

Anodised Brass Finish

Opal Polycarbonate

P-ATM-600-F-O-AB-XX

ATOM - 600

SPECIFICATION MATRIX

PRODUCT	-	SIZE		-	MOUNTING		-	DESIGN		-	FINISH		-	LED	
P-ATM		600	600mm		F	Fixed Tube		E	Edge		BL	Black		27	2700K
								O	One		AS	Anodised Silver		3K	3000K
											AB	Anodised Brass		4K	4000K
											CU	Custom		5K	5000K
														65	6500K
														TW	Tuneable White (2700K-6500K)
														RD	Red
														OG	Orange
														AM	Amber
														GN	Green
														BL	Blue
														3W	RGBW

Example Specification: P-ATM-600-F-E-BL-27



ATOM - 400

FIXED

EDGE

Ø400mm

Ø30mm Tube

Painted Black Finish

Opal Polycarbonate

P-ATM-400-F-E-BL-XX

ATOM - 400

FIXED



At the centre of the ATOM-400 are nine LED pucks fitted to a metal core. These pucks are positioned to evenly distribute light for more uniform diffusion. The pucks can accommodate a range of LED chips including a range of whites, single colours, tuneable white and RGBW. Control gear is remote.



ATOM - 400

FIXED

ONE

Ø400mm

Ø30mm Tube

Anodised Silver Finish

Opal Polycarbonate

P-ATM-400-F-O-AS-XX



ATOM - 400

FIXED

ONE

Ø400mm

Ø30mm Tube

Anodised Brass Finish

Opal Polycarbonate

P-ATM-400-F-O-AB-XX



ATOM - 400

PENDANT
EDGE

Ø400mm
Silver Braided Cable
Painted Black Finish
Opal Polycarbonate

P-ATM-400-P-E-BL-XX



ATOM - 400

PENDANT

ONE

Ø400mm
Silver Braided Cable
Anodised Silver Finish
Opal Polycarbonate

P-ATM-400-P-O-AS-XX



ATOM - 400

PENDANT ONE

Ø400mm
Brass Braided Cable
Anodised Brass Finish
Opal Polycarbonate

P-ATM-400-P-O-AB-XX


ATOM - 400

SPECIFICATION MATRIX

PRODUCT	-	SIZE		-	MOUNTING		-	DESIGN		-	FINISH		-	LED	
P-ATM		400	400mm		F	Fixed Tube		E	Edge		BL	Black		27	2700K
					P	Pendant		O	One		AS	Anodised Silver		3K	3000K
											AB	Anodised Brass		4K	4000K
											CU	Custom		5K	5000K
														65	6500K
														TW	Tuneable White (2700K-6500K)
														RD	Red
														OG	Orange
														AM	Amber
														GN	Green
														BL	Blue
														3W	RGBW

Example Specification: P-ATM-400-P-O-AS-5K

MOTIF






MOTIF

PENDANT

ALPHA

Ø127mm
950mm
Black

P-MTF-950-P-A-BL-XX




MOTIF

PENDANT

BETA

Ø127mm
950mm
Black

P-MTF-950-P-B-BL-XX



MOTIF

PENDANT

GAMMA

Ø127mm
950mm
Black

P-MTF-950-P-C-BL-XX

MOTIF

SPECIFICATION MATRIX

PRODUCT	-	SIZE (mm)		-	MOUNTING		-	DESIGN		-	FINISH		-	LED	
P-MTF		950	950		P	Pendant		A	Alpha		BL	Black		27	2700K
								B	Beta		NV	Navy		3K	3000K
								C	Gamma		BZ	Bronze		4K	4000K
											CU	Custom		5K	5000K
														65	6500K
														TW	Tuneable White (2700K-6500K)
														RD	Red
														OG	Orange
														AM	Amber
														GN	Green
														BL	Blue
														3W	RGBW

Example Specification: P-MTF-1000-P-B-BL-4K



DashDashDot